

**A METHOD AND SYSTEM FOR SUPPLEMENTING TELEVISION
PROGRAMMING WITH E-MAILED MAGAZINES**

INVENTOR
David Gilman

CROSS REFERENCE TO RELATED APPLICATIONS

This application claims priority from provisional application 60/262,471, filed January 17, 2001, Attorney Docket No. RQTV-1-1002, and Application Serial No. 60/288,264, filed on May 21, 2001, Attorney Docket No. RQTV-1-1005. It also claims priority from Design Patent Application Serial No. 29/141,633, filed May 9, 2001, Attorney Docket No. RQTV-1-1003, and Design Patent Application Serial No. 29/141,634, filed May 9, 2001, with Attorney Docket No. RQTV-1-1004.

BACKGROUND OF THE INVENTION

I. FIELD OF THE INVENTION

This invention relates generally to video programming and, more specifically, to interactive television.

II. BACKGROUND

Over the last 25 years there has been a consensus in the television industry that consumers would watch more television if they could interact with the programming. This consensus has been expressed in the great investment by leading technology vendors such as Microsoft and Gemstar in the field of interactive television. In spite of the vast investment in this field, the efforts have not been greeted with success.

Consumer patterns have proven that televisions make poor computers and computers make poor televisions. For the average consumer, television viewing is a passive activity. Viewers do not wish to attend to the many intricacies that accompany

PATENT TRADEMARK OFFICE



normal computer operations such as web browsing through the same device by which they watch television.

Unlike the largely passive activity of viewing television, the use of the Internet for activities such as online shopping requires much greater attention. For this activity, the limitations of the television screen resolution and the limited interactivity available through most standard television remote control units has limited the use of a television as a browser. The dichotomy between active browsing and passive auditing of programming content has largely hobbled all of the efforts in this field of interactive television.

The largely ambivalent reaction of consumers to interactive television has not been the only factor that has slowed development in this field. In the development of interactive television there has existed a very high economic threshold for the production of interactive programming. Not only does the content producer have to develop interesting and informative television programming, but onto that programming there must be engrafted, meaningful interaction with the program. For instance, where consumers are allowed to in any way modify the ending of a story or to select from several endings, that selection requires the filming and coordination of each of the several endings. Very quickly the amount of complexity of producing video programming goes up as the square of the number of interactive opportunities presented in the interactive programming. Without identifying a new source of advertising revenue, there exists no way to ameliorate the far greater costs of interactive programming.

These two facts, the great technological expenditures in this field, and the high economic threshold for programming in this field have prevented market penetration with fully interactive television. Nonetheless, the great investment in the field has created technical know-how even where no one is able to capitalize on the existence of this know-how. Technological standards have emerged, such as that of the Advanced Television and Video Enhancement Form, or ATVEF. This standard is based on the hypertext mark-up language, or HTML. While the standard exists, no entity seems ready to exploit that standard. Because of these facts, there exists a need for an invention that recognizes the distinction between the moods of the consumer when acting as a viewer, and when acting as a browser. Further, there exists a need for a form of interactive television that exploits current technologies without imposing upon producers the greater complexity and cost of interactive television. There exists a need to unite the potential of interactivity with the viewing habits of the public.

SUMMARY OF THE INVENTION

An interactive television system and method for generating video programming combined with triggers and then, in turn, for viewing that video programming as the triggers present information associated with the triggers. When triggered by the viewer,

the remote control will generate a request using a user interface coupled to at least one of the set top box or the television. The request, being based on a user selection of the presented information associated with the triggers, will retrieve information at the request processing system based on the generated request and will present the retrieved information that is based on the request at a user computer system coupled to the request processing system.

The system allows the viewer to passively view video programming and to request such information as might interest the viewer. The appropriate conduit for receiving the information is the viewer's e-mail platform. The invention will generate and assemble information associated with the program based upon the triggers embedded in the programming.

BRIEF DESCRIPTION OF THE DRAWINGS

The preferred and alternative embodiments of the present invention are described in detail below with reference to the following drawings.

FIGURE 1 is an overview of the several phases of the system;

FIGURE 2 is a view of the apparatus used at the production phase to link programming content to triggers;

FIGURE 3 shows the graphic user interface on the producer's desktop software product;

FIGURE 4 shows the graphic "bug" *in situ* on the display of an enabled television;

FIGURE 5 shows the resized television picture along with the mask showing the several billboards and the several links and selection boxes;

FIGURE 6 displays a demographic sorting desktop for linking the triggers in a program according the likely demographic features of the viewer;

FIGURE 7 displays the methods of disseminating the enhanced programming to several viewers;

FIGURE 8 displays the mechanism used to respond to requests for e-magazines;

FIGURE 9 displays the sent e-magazine with several of sorts of elements that might be useful;

FIGURE 10 displays the mechanism for assembling an e-magazine with special articles for the intended audience;

FIGURE 11 portrays the process of registering for the service where the registration is used for initiating a demographic file for the user or users;

FIGURE 12 portrays the process of producing enhanced program content for the system; and

FIGURE 13 portrays the process of requesting a e-magazine.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

FIGURE 1 represents an overview of the inventive method and system. This FIGURE 1 portrays four phases in the method: the pre-production phase, the viewing phase, the mask and e-Zine production phase, and the reviewing phase. These phases are not in strict chronological order. For the viewer in the viewing phase to use the system, masks must already exist and these are produced in the mask and e-Zine production phase.

The pre-production phase begins with a programming source 101. The programming source may be any form of video programming, though most likely it is on a non-volatile medium, such as some form of tape, film, or optical disc such as a CD or DVD. The selection of a viewing source is limited only by the qualifier that it be recorded on a non-volatile source. Even flash memory sticks such as the SanDisk Compact Flash® or the Sony Memory Stick® would serve as such media. Whatever the source 101, it is the object of pre-production to add to that recorded medium appropriate triggers.

The producer of the enhanced programming draws the base program from the programming source 101 in by means of a computer (here the producer's desktop 110) imbeds a series of unique triggers into the programming by ATVEF standard means. Though not limited by the method used, this process is analogous to imbedding closed-captioning in the NTSC or PAL standard signal. Simply put, the producer places additional information that enhances the base video programming on the signal without requiring additional signal capacity. This additional information is expressed in embedded "triggers" used to generate masks available to the viewer.

The producer draws the configuration and content of the triggers from a trigger database 120. These triggers help to either define the mask itself or, as in the preferred embodiment, direct an advanced set-top box 210 to where the masks are found. In the preferred embodiment, the triggers will be uniform resource locators, or URL's. While the preferred embodiment uses URL's, any unique code can be used, such as binary or decimal codes imbedded in the programming, for it is the sole purpose of the codes to evoke from an advanced set top box 210 appropriate masks to match the programming at defined times throughout the viewing.

An example of a non-URL type code that would be workable, though not the preferred embodiment, would be a multi-place binary number that included codes to populate a masked template that would be displayed on the screen. The code itself would be merely a concatenation of discreet billboard and button codes as will be discussed in greater depth when discussing the mask. A mask template might be stored in non-volatile memory in the set-top box 210. These billboards and buttons serve to allow the viewer to interact with his television 220 by means of the advanced set top box 210. They are, in

short, opportunities to make a selection. Where standard codes exist for each billboard and button, the concatenation of those codes is an effective means to carry out the inventive method and implement the inventive system.

The producer uses the production desktop 110 to meaningfully relate that which is portrayed on the screen with a series of masks. For example, should the viewer be watching a documentary movie on the shrines of Kyoto, a view of the Fushimiinari or Fox Shrine might be accompanied by billboards for various travel agencies and buttons requesting information about 1) tourism and travel in the Kyoto area; 2) the history of the Fushimiinari Shrine from 771 A.D. in Kyoto; 3) clothing appropriate for touring the Kyoto area given its climate and culture; and 4) gifts and souvenirs evocative of Kyoto, such as green tea and silk.

One advantage of the imbedding of URL triggers in the programming is that the precise way of filling out a mask is dynamic and not set at the time of pre-production. Returning to our example of a tour of the shrines at Kyoto where the pre-producer imbeds a series of URL's into the programming material and either has or creates at that time a list of descriptions for each and every "attachment point" where a URL has been imbedded, the producer may later place at the URL masks that differ in time. If, for instance, one supplier of green tea discontinues their advertising contract, a producer might substitute a different billboard on the mask stored at the URL, even though he does so months after pre-production and imbedding of the triggers is complete. The use of URL's for triggers, thus, allows the flexibility that concatenated codes or other static means of imbedding enhancements in the programming do not. A similar change is possible in the concatenated code embodiment, however the steps necessary to associate one advertiser with a given code is slightly more involved.

Once the triggers have been imbedded in the programming content, the pre-producer then records the program with imbedded triggers on any suitable non-volatile medium. There is no need for correspondence between the original medium used to read the programming content and that used to record it. The pre-producer may use any medium suitable for later viewing by the viewer.

In the viewing phase a viewer receives, operates, or actuates an advanced set top box or ASTB. The advanced set top box may or may not include many of the functions of a standard cable set top box, however, the advanced set top box adds the interactivity with the system. Indeed, the inventors envision a time where the market for these services are such that television manufacturers incorporate the ASTB circuitry 210 into televisions 220. The ASTB 210 includes the ability to perceive and to read the imbedded triggers in programming regardless of where the circuitry resides.

When connected to a programming source by any conventional broadcast means, the ASTB 210 sends an invitation through an upstream communication ability back to a

clearinghouse. The clearinghouse might be any sort of service provider. A multiple services operator is a corporation broadcasting more than one television network. Clearinghouses would include local cable television providers. An essential element of the set top box is the ability to communicate by some means with the clearinghouse.

5 These means might include upstream transmission through television broadcast means, such as through coaxial cable wave-guides; transmission through hard wired telephone lines; PCS or cell phone communication; or any suitable communications link that will bring a signal back to the clearinghouse.

10 In response to the invitation, the clearinghouse transmits through the advanced set top box 210 to the television 220 enhanced programming as produced at the pre-production phase. The advanced set top box retains the most recent trigger broadcast in a register. The purpose of the register is to share the recent trigger needed to generate a screen for the viewer. Each time a new trigger is broadcast it replaces the trigger that was stored in the register. When the viewer makes a selection indicative of a desire to interact
15 with the programming, the advanced set top box uses the codes stored as a trigger to generate a selections mask. If the trigger is a code representative of a URL, the advanced set top box retrieves the information stored at the URL by means of any communication channel available to the set top box to so retrieve the information. Like the upstream channel earlier described, any appropriate communications link will serve.

20 Where the triggers are a concatenated code, the advanced set top box draws the meaning of those triggers from the trigger database 120. This is the same database that pre-production used to identify the codes and to imbed them into the programming. From the database, the ASTB 210 draws the current billboards associated with individual code elements of the concatenated code, these it positions into a mask template stored in the
25 ASTB 210 or alternatively in the trigger database 120. The trigger database 120 contains the contents that will fill the mask. From such information, the ASTB 210 has the necessary information to form the mask on the screen around a compressed view of the video programming.

30 In response to the viewer's request, the advanced set top box 210 has generated a mask. This mask presents the viewer with a number of billboards and buttons to indicate specific selections that represent requests for information. The viewer selects by appropriate means, in the preferred embodiment by means of a remote control device that allows scrolling through the buttons, those buttons representative of the viewer's request for information. When the viewer is satisfied that the selected buttons do represent the
35 viewer's request, the viewer "transmits" the request by means of a separate selection. In the preferred embodiment, this separate selection is a button on the mask appropriately marked with a legend such as "send" or "submit". Upon transmission, the viewing phase is complete.

Production of mask content to be presented to the viewer must be completed before the viewing phase. The production software constructs the mask by a process that is closely analogous to the production of e-Zines generated based upon the viewer's submitted requests. Both the e-Zine and the mask are based upon templates and are constructed in a similar manner.

At some point between pre-production and viewing, in the preferred embodiment, a producer takes the generated list of "attachment points" discussed above and selects buttons and billboards to associate with each of the attachment points, thereby generating screen masks. In the preferred embodiment, the URL's associated with each distinct "attachment point" are stored in the trigger database 120. After the producer has selected those billboards and buttons that will fill the mask, the producer unites those with a mask template 315 to create a mask. Once the mask is satisfactory to the producer, the producer stores the mask at the URL associated with the attachment point. By this means the producer creates a mask for each attachment point within the video programming, thereby completing the production task. In the concatenated code embodiment the mask template 315 might be stored within the advanced set top box 210 such that all of the unique features of a particular mask are set forth in the concatenated code. By this means, a code and a mask template 315 will create a proper populated mask. In such an embodiment this is accomplished at the time of imbedding triggers.

More complex is the process of creating e-Zines. To respond properly to the viewer's submitted requests, the system must include e-Zine articles associated with each potential request. Thus, if a viewer requests information about travel in Kyoto, there must exist on article database 322 an article that corresponds with that request. In a preferred embodiment there are a plurality of articles corresponding with that request and demographic factors unique to the particular viewer and stored in a registration and profile database 320 will serve to further pinpoint the choices of the viewer.

Thus, for example, when an 18-year-old viewer requests clothing suitable for touring in Kyoto, the viewer receives an article describing clothing from Abercrombie & Fitch where a 45-year-old viewer might receive an article descriptive of clothing from Nordstrom or Eddie Bauer. At length, the producer can select and associate the requests and demographics of the viewer in such a manner as to optimize marketing on the viewers they have. The viewer sees only that which would interest them.

Once the enhancement server 310 draws appropriate articles from the e-Zine article database 322 based upon the received requests from the viewer and the viewer's profile stored in the registration and profile database 320 and places those articles in the e-Zine template 318. Once the template is filled and an appropriate e-Zine results, the enhancement server places the completed e-Zine on the Internet at a unique URL. An alternate embodiment of invention includes the placement of the e-Zine at a PURL.

A PURL is a private uniform resource locator which uniquely identifies an intended recipient of a document, the document or set of documents to be delivered, and (optionally) other parameters specific to the delivery process period. The intended recipient of a document uses the PURL to retrieve the document. The server, upon retrieval of the document, customizes the behavior of the retrieval based upon attributes included in the PURL as well as log information associated with the retrieval in a database. This architecture and usage of PURL's enables secure document delivery and tracking of document receipt. PURL's are temporary, dynamically generated, uniform resource locators. Once the server notices that a specific individual has accessed the specific document, the document can be removed from the server, thereby allowing both privacy and economy of space in the database. The PURL need not be immediately removed but can have a certain latency that may be programmed by the server. The use of PURL's also allows, if desired, the use of passwords before the electronic magazine stored at the PURL can be accessed. The server may also identify the specific recipient accessing the document and check the same against those individuals having the ability to view the document. In short, security is available at this point in the process.

Once the enhancement server 310 places the e-Zine article on the Internet 338 it sends a link to the URL imbedded in an e-mail message to the viewer. The e-Zine is produced almost immediately after the selections are transferred to the enhancement server. To the viewer who makes his request and then turns off the television, the information should be available in his e-mail box in the time that it takes to move across the room to the computer. The beauty of this system is that he doesn't have to turn off the television and move across the room. The e-mails are stored in his e-mail box according to whatever e-mail system the viewer uses. When the viewer chooses to review his mail, the information will be available. As stated in the background section, this lag in time is a very desirable aspect of this invention. Experience has indicated that viewers do not wish to be troubled by the in-depth information that they have requested at the time of viewing, but rather, wish to review that information when their mood changes from that of a viewer to that of a browser. The ability to store e-mail information in one's e-mail box is what differentiates this from most interactive television that immediately demands one's attention, drawing it away from the program at hand. While there are other advantages to this invention, this one is a key distinction.

The viewer at some time after submitting the request, sits at his home computer or office computer 401 and browses his e-mail. There he finds the e-mail from the enhancement server containing the link to the e-Zine. By following that link from the e-mail the viewer downloads the e-Zine for browsing. The articles in the e-Zine are themselves imbedded with additional links that take the viewer to additional sources of information; to stores offering particular products; to services and agencies that can

arrange travel; and any of a myriad of other products, services or information sources that meet the parameters of either the expressed request of the viewer's or those presumed from the viewer's personality profile. In either regard, selected articles assure the optimum dissemination of information to viewers.

5 As can be readily recognized from the foregoing description of the overview of the invention, programming content need not be merely documentary films. Clearly any type of video programming, including advertisements, may carry these imbedded triggers to the advantage of the sponsor. In the contexts of commercial advertising one can readily imagine information that supplements an ad shown on the screen. Take for
10 example the advertisement of a new model car. Let us assume for example that one of the attributes of the advertised car is that it received a J.D. Powers® rating for quality. In that instance, the triggers within the content would evoke a mask that included a button allowing the request of the J.D. Powers® report that so rated the automobile. The same would be true, perhaps, of crash-worthiness studies or any attribute of the car where
15 presenting the documentation in the commercial might weigh down the commercial for the general viewer. In such an example it is clearly easy to see that production of one or several masks to associate with attachment points within the commercial is easy and inexpensive, but provides the potential purchaser with in-depth research likely to affirm their nascent decision to purchase the vehicle. The same is true of any product. From
20 cookies to clothing or services to hard goods, this system and method allow for the footnoting of commercials at no great expense to the producers. The utility of the invention is clear. FIGURE 2 shows the pre-production phase in-depth. As indicated above, both the programming source 101 and the programming recorder 189 simply allow for the reading and recording on non-volatile media. As indicated above, these need not
25 be the same non-volatile media. Software loaded into the producer's desktop 110 allows the producer to imbed triggers from the trigger database into the video programming. At some juncture, some entity will generate an "attachment point" script for the video programming from the programming source 101. The purpose of the attachment point script is to describe each change of focus within the source video programming.

30 Continuing in the earlier example, in a tour of the shrines of Kyoto when the attention in the program (Toyokuni Jinja) to the gold pavilion (Kinkakuji Temple) the historical note button in the produced mask will represent a distinct request when selected. As the show moves on to the silver pavilion (Ginkakuji Temple) the button changes again in its meaning. The mask associated with the video programming may not
35 change throughout as might be the case with a situation comedy such as Seinfeld or Friends. On the other hand, as in our example of the Kyoto shrines documentary, the associated mask might change quite frequently throughout the programming. The option remains with the producer or the owner of the content to attach to programming contents

such attachment points and to associate with those attachment points such masks as are likely to induce the greatest viewer satisfaction, or the most successful marketing of the various products of the sponsors. In any regard, the producer finds it easy and therefore economical to attach additional content to the video programming.

5 In the preferred embodiment, URL's are attached at the attachment points in the video programming. Nonetheless, in the alternate embodiment, it is necessary to construct the masks at the time of production. To that end, the producer's desktop requires access to more than just the trigger database 120 but also to a billboard database 135 and a button database 140. These may be maintained at the producer's site, or the producer may have access to them through a communication link, or as shown in this FIGURE 2 through the Internet 125. In this alternative embodiment the producer draws from the billboard database billboards for the sponsors of the enhanced content. These billboards are icon-like artwork to fill assigned places in the video mask and are associated with the sponsors in a manner to allow the viewer to select the billboard and receive information available through that sponsor. The billboards may or may not be active; activity is not required to practice the invention. A button database 140 exists to associate buttons with requests for information as indicated above. The producer imbeds codes in the programming with the producer's desktop 110 and thereby populates a mask template that the set top box will generate when it receives the trigger.

20 FIGURE 3 portrays a screen 190 from the producer's desktop software. As the producer views the video programming in the center of the screen 190 the producer will populate masks with drag and drop icons belonging to the sponsors of the enhanced programming. These billboard signs go into slots 191, 192, 193 and 194. Similarly, the software provides article buttons to the producer to populate the article button slots 195, 196, 197, 198 and 199. The software presents a graphic user interface (GUI) allowing the producer to easily drag and drop buttons into place and to fasten the same to attachment points within the programming.

30 FIGURE 4 displays the television screen 225 generated by the advance set top box 210. The presence of a "bug" 221 in the upper right corner of the screen indicates the advance set top box's readiness to receive the viewer's request to commence interactive operation. At any time when the bug is present the advance set top box 210 indicates that enhanced programming is present. To initiate operation the viewer indicates his selection on a remote control.

35 FIGURE 5 portrays the mask generated or retrieved by the advance set top box 210 as a result of the viewer initiation of the interactive process. In FIGURE 5 there are five principal elements portrayed. The interactive "bug" is replaced by the trademark 228. The various buttons populate the mask in the slots set forth at 231. The billboards are present in the 237 position and request buttons for submit or submitting all

of the potential selections exists at 234. As earlier emphasized, one purpose of the invention is to provide a minimum distraction from the passive activity of television viewing. For this reason a slightly reduced screen appears in 240 allowing the viewer to continue to see as the principal element of the screen the video programming. It is the intent of the invention that the whole screen remain visible at a slightly lower resolution than when the mask is not present. Such a configuration removes the possibility of losing the spectacular catch during sporting events or creating the possibility of critical off screen detail. The invention seeks to avoid the effect that occurred when cinemascopic movies were broadcast on conventional television without compressing the image.

FIGURE 6 portrays a second screen in the producer's desktop. This screen allows the producer to associate articles with anticipated requests by the viewer. In response to the selection of any of the buttons located at 231 in FIGURE 5 the producer can select from among a plurality of articles available on a particular topic to select that article that is most likely to appeal to a particular demographic. This screen comprises the associative means for the articles. At 276 the requesting means are listed. Thus the producer can indicate that in response to article button number 4, in this case named "Decks" will be associated at 279 with the article "Alien Workshop" so long as other conditions are true. Those conditions portrayed in boxes 281, 284, 287 and 290 indicate that as long as the viewer lives in Bellevue, Washington (i.e. zip code 98006) is a female with an income of greater than \$50,000 but less than \$100,000 and is less than 18 years of age, they will see "Alien Workshop." In all other instances, the default article is "LibTech" 292, 294 and 297. The number of conditions that might be placed on associating a particular article with a particular button is not limited as is indicated by the scroll bar at 282. If more conditions are necessary the scroll bar will continue downward providing additional fields, operators and values.

FIGURE 7 shows some of the hardware necessary for the preferred embodiment of the system. In FIGURE 7 the sum of several sources for enhanced video programming with imbedded triggers are apparent. Because there is no requirement that the upstream channel be the same as the downstream channel for information coming to the set top box 210, there is no requirement that the received broadcast be "live." Thus, in the inventive system, signals might be received from a radio tower 246, a satellite dish 249, through cable distribution 252, or from recorded media such as tape or DVD 255. When the imbedded triggers are present the advance set top box 210 becomes receptive to filling masks with matter drawn from the enhancement server. At the same time the advance set top box portrays the bug 221 on the screen 220 indicating the presence of enhanced programming. At such time as the user should activate the system the register containing the most recent URL trigger directs the set top box to pull down from the enhancement server the current mask stored at the given URL as a web page. This web page the

advance set top box 210 portrays on the screen 220 and awaits the viewer's selection. When the viewer selects a series of buttons from the portrayed mask 258 that selection is sent back to the server 261. The enhanced server then refers to the trigger or enhancement database 120 to understand the meaning of the selection packet received from the set top box 210.

The figure also portrays the workings of an embodiment where rather than URL's unique codes are imbedded in the programming. When the viewer requests initiation of interactive mode, the most recent code is sent from the register of the set top box 210, the concatenated code is directed at the enhancement server, the server then draws the mask template 130 and the billboard signs associated with that trigger from the billboard sign database 135. Similarly, it draws the buttons associated with that code from the button server 140 and composes a completed mask. This it sends 258 back to the set top box 210 for portrayal on the screen. As is indicated in diagram, both embodiments can work simultaneously on the server. Regardless of which of the two embodiments is employed the mask sent at 258 is a complete HTML document with a section 240 displaying a lower resolution full picture of the current video programming as portrayed in FIGURE 5.

The key to the system is the providing of e-Zines to viewers in response to their selections. These e-Zines are to be tailored to the selections and also to the demographics available with regard to the individual viewers. Viewers have registered on the system and have provided demographic data about themselves which is stored in a registration profile database 065. Producers can select such demographic factors as they find necessary to effectively tie the user to a particular or several purchasing demographics. Once the user has completed the survey relating to this demographic, the user is then allowed to participate in the system. Where a household consists of multiple users, there might be a sign on screen that allows a viewer to designate which of the several users is currently watching, or at least which is requesting the service. Once enrolled and appropriately identified, the viewer watches the television 220 along with the enhanced material provided by the advance set top box 210. As between several television sets, the ASTB 210 will report which ASTB 210 is interacting with which viewer. After the mask has been displayed and the viewer has made their selections and submitted the same by activating either of the buttons at 234, that selection packet is sent to the selection server 338 one of four servers within the collective enhancement server 310. The hardware contained within the enhancement server need not be confined to a single computer, nor is it necessary that it be four computers. In fact, one skilled in the art knows how to distribute and to group the tasks described as assigned to the enhancement server among any number of computers for efficiency and load. The four computers portrayed, the selection server 338; the e-Zine compiler and server 341; the PURL

allocator and server 344; and the e-mail server 347 refer in fact to different functions that are accomplished within the collective enhancement server 310. Thus as the selection packet arrives at the selection server 338, that server 338 reconstructs the selection by reference to the billboard database 135, the trigger or enhancement database 120, and the button database 140. When reconstituted, the request is then sent to the e-Zine compiler where articles are selected from the e-Zine database 335 based upon the demographic of the identified viewer as drawn from the registration and profile database 065. When compiled, the e-Zine compiler requests a URL from the URL allocator and server 344 and stores the e-Zine at that URL on the server. The URL may be dynamic such that each viewer could be served by a single URL. Simultaneously, the e-Zine compiler requests of the e-mail server that an e-mail be sent with the URL indicated by the URL allocator and server 344 to the viewer's e-mail box. Again, where multiple viewers live in a single household, the viewer's log on will indicate to which e-mail box the message is to be sent. The consumer in turn receives the e-mail on the consumer's computer 401 and using the links provided, views the e-Zine and the content therein. In turn, links contained within the e-Zine send the user back to the Internet 125 to browse the websites of various sponsors referred within the e-Zine or information sources contained in bibliographies to articles.

FIGURE 9 shows a composed e-Zine resulting from the process set forth in FIGURE 8. This e-Zine 337 also has an area for billboards 325. Though these billboards are much like those described at 228 in FIGURE 5, they do not necessarily have to be the same billboards. The vagaries of sponsorship agreements may well change the composition of the billboard bar. In any regard, the bar is consistent in look and feel to the bar that was created in the mask 228. There also exists a table of contents 328 that shows the e-Zine to be responsive to the requests set forth in the selection packet as it was delivered to the enhancement server 310. In this instance buttons requesting travel information and offers; music; books; apparel; and food; as well as information related to the selection of one of the bulletin boards, i.e. the Discovery Channel. Additionally, there may be standard features such as links to interest communities or to chat groups related to what was on screen at the "attachment point." Pane 334 is the information requested. That pane will move independently so that both the billboard bar 325 and the table of contents 328 remain visible, as well as branding reminding the viewer of the source of the e-Zine 331. As the user scrolls down they allow opportunities to purchase the products relevant to the "attachment point."

FIGURE 10 yields insight as to the means by which the compiler compiles articles. The selection packet is a series of single selection id's 324. In most instances, as in article selector A, all demographic groups would receive the same article 57 326. In example B of the article selector, an external factor, for instance the season of the year, is

used to select from among a series of articles at 328. As in example A, article 57 326 corresponds with the article selection 324. In still another example, article selector C may indicate a group of articles, in this case article group 3, then the viewer's zip code 332 is considered by the compiler because the producer has associated particular articles with particular zip codes. Thus in this case again article 57 326 is selected by virtue of the sort and association designated by the producer. As shown in FIGURE 6, multiple demographic data can further refine the selection process. Example D of the article selector shows where an article button 324 defines a script, in this case script 3, as applicable. Script 3 in turn along with the viewer's zip code 332 results in a sorting process 334 that winnows the field down to article 57 326.

FIGURE 11 portrays the method used to register for the system. At 035 the viewer initiates an order for service, or enrolls. There are several ways this could be effected: the viewer might call the clearinghouse and as a part of the enrollment the operator might administer a questionnaire over the telephone 040; the viewer may order the service at a website where part of the ordering includes completing the questionnaire on the website; the clearinghouse may send a questionnaire to the viewer in a welcome to the service package; or, any number of other means to discern the demographic factors that define the viewer. When the viewer completes the questionnaire 045 the data is entered on the server. The registrar which may be a human, a software agent, or a systematic method based on the viewer's completed questionnaire builds a profile representative of the viewer's demographic. At 055 the registrar stores the complete demographic profile in the registration database. As described above, that profile is used to determine which articles, goods and services are presented to the viewer through the service. Periodically 060 it will be necessary to update the profile. Many demographics are variable over time, such as the age of the viewer. Other things, such as income, also change. The viewer is probably well motivated to make these changes, thereby allowing the service to provide the viewer with articles that the viewer will find more relevant than the universal default article. One way of allowing such an update is to provide a web page for account maintenance and periodically to send e-mail invitations inviting the update. Such is not the only way, and it is well known within the art to update a demographic profile. Any of the currently practiced means would be applicable.

FIGURE 12 portrays the process of production of enhanced media. As is common with broadcast media, the service must go out and arrange sponsors for the programming 150. These sponsors would offer graphic art that would correspond in size into a standard set by the producer to populate the slots of the billboard. As HTML is the likely standard of the industry, these graphic elements would likely be in a file format compatible with HTML, such as jpegs or gifs. These graphic images would be stored in association with the identity of the particular sponsor in a billboard database. Because of

the association of these sponsors and the supporting graphics, the producer's desktop 110 easily constructs masks and e-Zines containing references to the advertising sponsor. At 153 the producer obtains program content from any suitable source and at 156 reviews the content and develops an attachment script for the program content indicating the current focus of the content from moment to moment. As indicated in the discussion above, this attachment script describes the various attachment points within the video program and is suggestive of the article content appropriately associated with the attachment points. As indicated above, the producer has the choice of keeping the same mask throughout the show or varying the mask from topic to topic as the focus of the video programming changes.

Based upon the attachment scripts, the producer creates unique codes, or "triggers" to identify each attachment point as the producer sees fit. These codes, as indicated above, can be URL's or concatenated numeric codes. In any regard, these codes are imbedded at 162 in the programming according to industry standards to create an enhanced program. In its imbedded state, the video content is then recorded onto a non-volatile medium in order to allow for distribution through a broadcast system. Once the attachment script is formed and the triggers are imbedded in the programming, at 166 the producer develops appropriate masks to correspond with the imbedded triggers. These the producer stores at 169 in a trigger or enhancement database in association with each attachment point in the programming content in each content set. It is important to note that the masks stored in association with each trigger may be varied from time to time. For instance, where the content might be a movie such as Tora Tora Tora, the attachment points in the movie might remain constant, but the masks associated with that movie might vary from showing to showing. If a network chooses to show the movie in July, where one set of sponsors might include United States Navy Recruiting, a showing in December might include historic tours of Hawaii in the billboard slot formerly occupied by the United States Navy. Though the triggers remain constant in both showings, the content stored in association with those triggers, or in the case of the preferred embodiment, at the URL's as masks, would vary from showing to showing. This fact proves the inherent flexibility of the inventive method. Once all of the masks are composed, at 172, the attachment script is sent or stored in a fashion to give access at the time of e-Zine production. Thus at 175, the script is available to the e-Zine content producer along with the trigger codes at 178. Thus the e-Zine producer develops magazine content based upon the known focus of the video programming at the attachment point and associated with each button or billboard in the associated mask, including variations or additions associated with each demographic group tracked in the registration process 181. At 184 the e-Zine producer stores these articles in a manner consistent with the described article database above.

FIGURE 13 describes the inventive method commencing at the point where the system presents the viewer the opportunity to interact with the video content. At 350, the set top box initiates an invitation inducing the display of the bug 221 overlaid on the video picture portrayed on the screen 220. This indicates to the viewer that the system is ready to respond to any of the viewer's requests for content. In the course of watching television, something the viewer sees in the video content on the screen evokes the viewer's interest, causing the viewer at 353 to initiate the process of interactive dialog with the inventive system. At 356 the system responds to the viewer by filling the screen with the mask portrayed in FIGURE 5 or a variant thereof based upon content selected by the producer. As indicated above, the preferred method of filling the screen is to draw a completed mask from the URL that is stored as a trigger imbedded in the video programming. An alternate embodiment of the invention allows for the composition of the mask based on codes imbedded in the video content.

At 359 the viewer selects from among the several buttons and billboards presented by any appropriate means, though a navigating remote control is the preferred embodiment. By a scrolling remote control the invention envisions the ability of the viewer by activating buttons on a remote control to move from one billboard to another and from one button to another, selecting or deselecting them as the viewer sees fit, and finally when the selections represent the viewer's choices to submit by activating the first of the two buttons portrayed at 234. Where the viewer desires all of the buttons and billboards to be selected, they simply activate the second of the two buttons.

Upon submission, at 365, the set top box 210 compiles the viewer's selections and assembles from those selections a selection packet. This the set top box 210 transmits, at 365, by means of the upstream communication link described above to the enhancement server 310 specifically to the selection server therein at 338. The selection server, at 368, to determine the program, the buttons, and the billboards selected at 371 the selections are passed to the e-Zine compiler 341 to build an e-Zine according to those selections. In the manner described in FIGURE 10, the e-Zine compiler, at 377 fills the e-Zine template with articles drawn from the e-Zine database. Appropriate billboards are filled in the compiler at 380. Requests from the URL allocator and server 344 a URL at which to store the completed e-Zine. At 383 the compiler stores the e-Zine at the URL on the server.

Once the e-Zine is stored at 383, the e-mail server 347 sends an e-mail containing a link to the URL through the Internet 125 to the consumer's e-mail box. As indicated above, the URL might be a personal uniform resource locator ensuring special behavior of the URL in response to the storing and recalling from that URL. At some later time the viewer reviews the e-mail contained in the e-mail box at 391 and selects the link that directs the viewer's Internet browser to the URL to recall the e-Zine stored there. At 391

the viewer browses the e-Zine and any links contained therein to further URL's on the Internet.

5 While the preferred embodiment of the invention has been illustrated and described, as noted above, many changes can be made without departing from the spirit and scope of the invention. For example, there might be additional means of requesting the e-magazine such as by means of the use of a telephone rather than a remote control unit and an ASTB. Accordingly, the scope of the invention is not limited by the disclosure of the preferred embodiment.

10

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2